
CALIFORNIA SCHOOL CODES AND REGULATIONS



Immunization Exemption Type by State



History of CA School Law

1972 Diphtheria, Tetanus, Pertussis

1961 Polio

1967 Measles

1980 Mumps, Rubella

Broad regulatory authority to DHS

1991

Hib

1994

Hep B, 7th Gr

1999

1977

Enforcement, implementation strengthened; Day care added 1992-6

Family Childcare

1997

Hep B at K

2001

Varicella



CA School Immunization Law


- Immunization Requirements at Kindergarten Entry:
 - 4+ DTP, 3+ Pol, 2 MMR, 3 Hep B, 1 Var
- Exemptions and Procedure
 - Permanent and Temporary Medical
 - Personal Beliefs (PBE)
 - "shall be granted upon filing with the [school] a letter or affidavit from the pupil's parent...that such immunization is contrary to his or her beliefs"



School Assessment Overview

- In Fall, schools with Kindergartens are required by law (CHSC§120375(c) & CCR§6075) to report the immunization status of new entrants – most of reporting (99%) is now submitted online
- In Spring, 3% to 5% of schools with kindergarten are randomly selected for followup validation of immunization status.
 - LHD staff conduct school site visits, interview school staff, xerox official School IZ Records, and IZ data entered into a database.
 - Data are used to estimate age-specific, e.g. 19-35 mos., immunization status of this CA cohort

Permanent Medical Exemptions (PME) and Personal Beliefs Exemptions (PBE) Among Kindergarten Students, California 1978-2010






PBEs: Key Points


- Perception that children had a low susceptibility to the diseases
- Severity of the diseases was low
- Efficacy and safety of the vaccines was low
- The most frequent reason was non-vaccination, stated by 69% of the parents, was concern that the vaccine might cause harm.




Rates of PBEs Among Children Entering Kindergarten by County, 2000



Number and Percent PBEs Among Children Entering Kindergarten by County, 2010



PBEs Among Children Entering Kindergarten



PBEs: Key Points


- Multiple studies show an increase in the local risk of diseases when there is geographic clustering of exemptions.
 - Michigan: The odds ratio for the likelihood that a census tract included in a pertussis cluster would also be included in an exemptions cluster was 2.7.
 - Colorado: county-level incidence of measles and pertussis in vaccinated children from 1987 through 1998 was associated with the frequency of exemptions in that county.³⁵ At least 11% of the nonexempt children who acquired measles were infected through contact with an exempt child.³⁵
 - School-based outbreaks in Colorado have been associated with increased exemption rates; the mean exemption rate among school with outbreaks was 4.3%, as compared with 1.5% for the schools that did not have an outbreak (P=0.001).³⁵

PBEs: Key Points

- Reasons for the geographic clustering of exemptions are not fully understood, but may include:
 - characteristics of the local population (e.g., cultural issues, socioeconomic status, or educational level),
 - the beliefs of local health care providers and opinion leaders, and local media coverage.
- The factors known to be associated with exemption rates are
 - heterogeneity in school policies and
 - the beliefs of school personnel who are responsible for compliance with the immunization requirements.²⁹




Number and Percentage of CA Kindergartens* with ≥ 10% PBEs, 2000 vs. 2009



*Kindergarten Enrollment ≥ 10 students



Number and Percentage of CA Kindergartens* with ≥ 10% PBEs, 2000 vs. 2009



*Kindergarten Enrollment ≥ 10 students



PBE Study California 2009

Two-fold Purpose

- To evaluate vaccination status of kindergarten PBEs
- Determine whether 'high' PBE schools were different from 'standard' PBE schools

Method

- Collected and analyzed PBE records from:
 - a Random sample of kindergartens and
 - the Top 50 PBE kindergartens



Comparison of PBE Rates, School Size, and % Private in Random Sample and Top 50 PBE Kindergartens, California 2009

| Group | Total Students | Personal Beliefs Exemptions | | | Average School Size | % Private Schools |
|-------------------------|-------------------|--------------------------------|------|------|---------------------------|----------------------|
| | No. | No. | % | | No. | % |
| Random Sample | 15,471 | 247 | 1.9 | 0.22 | 70 | 29 |
| Top 50 PBE Sample | 3,489 | 1,117 | 31.8 | 1.55 | 60 | 22 |



Fall Kindergarten Assessment 2010 Data

| School Type | Number of Schools* with > 10% PBE | Total Schools with Enrollment ≥ 10 | Percent of Schools with > 10% PBE rate |
|----------------|-----------------------------------|------------------------------------|--|
| | | | |
| Public | 321 | 5507 | 6% |
| Private | 218 | 1656 | 13% |
| | | | 8% |
| Total | 539 | 7163 | |
| | | | |
| *Schools | s with enrollment ≥ | | |

Survey Results

| Questions | Random (%) | Top 50 (%) | <i>P</i> -value |
|--|---------------|------------------|-----------------|
| School informs parent of exemptor that child will be excluded if there's a vaccine preventable disease outbreak. | 84.5 | 66.0 | < .01 |
| Parents given option of signing PBE statement as short-term alternative while they seek current records to complete student's required immunizations | 7.8 | 30.0 | < .0001 |



Conclusions

- 'High' PBE schools may further potentiate undervaccination by encouraging selection of the PBE option by parents lacking documentation or with underimmunized children at kindergarten enrollment
- As PBEs rates continue to increase, public health officials will need to pay particular attention to 'high' PBE schools as they are sites of concentrated vaccine-preventable disease risk



PBEs: Key Points

- The complexity of procedures for obtaining exemption has been shown to be inversely associated with rates of exemption.
- Moreover, between 1991 and 2004, the mean annual incidence of pertussis was almost twice as high in states with administrative procedures that made it easy to obtain exemptions as in states that made it difficult.



2008 San Diego Measles Outbreak*

- An intentionally unvaccinated 7-yearold unknowingly infected with measles returned from Switzerland, resulting in >800 known exposed persons and 11 additional cases.
- The outbreak was fueled by clusters of intentionally unvaccinated children and perpetuated by delayed clinical diagnosis and inadequate infection-control measures.
- Because of community vaccination rates of >90%, the outbreak began to subside before containment started, but a vigorous public health response halted transmission beyond the third generation at a public-sector cost of more than \$10 000 per case.



2008 San Diego Measles Exposures*

- A total of 839 persons were exposed to measles.
 - 106 (13%) (all children) lacked proof of measles immunity according to the standards of the Advisory Committee on Immunization Practices.
 - Twenty were considered to have had minimal exposure
 - Of the remaining 86, 38 (44%) had parents who had declined or intentionally delayed vaccination.
 - Of these, 32 (84%) were still eligible to receive postexposure measles vaccination prophylaxis, of whom 13 (41%) accepted the vaccine.
 - The remaining 73 unvaccinated children were placed under 21-day quarantine.

Total outbreak costs were \$176,980 (Table 1)

* PEDIATRICS Volume 125, Number 4, April 2010 p.747-56



Summary – Measles, 2011

- 28 Cases
- 17 with international travel and 5 with epi-links to confirmed cases
- Countries where exposure occurred: France,
 Philippines, India, England, Italy, Thailand, Malaysia,
 and China
- Age range: 11 months to 68 years
- MMR vaccination status:
 - 16 cases with 0 doses (including 7 with known PBEs)
 - 10 cases with unknown/undocumented status
 - 1 case with 1 documented MMR
 - 1 case with 2 documented MMR



Measles Contact Investigations in 2011

- Over 1,680 community contacts of California measles cases were investigated
 - These potentially exposed persons were identified from over 59 contact settings including: emergency departments, urgent cares, pre-schools, daycares
 - At least 31 received immune globulin and 10 received MMR as prophylaxis
- Over 480 flight contacts of measles cases were investigated from 24 flights
- Total contacts investigated > 2,160 for 2011



State Laboratory Resources Dedicated to Measles Testing

| Test Type | N | Cost per test (Labor & Materials) | Total per test |
|-----------|-----|--------------------------------------|----------------|
| IFA IgM | 103 | \$139.00 | \$14,317.00 |
| IFA IgG | 135 | \$123.00 | \$16,605.00 |
| EIA IgM | 86 | \$200.00 | \$17,200.00 |
| EIA IgG | 232 | \$200.00 | \$46,400.00 |
| PCR | 117 | \$194.00 | \$22,698.00 |
| | | | |
| TOTAL | | | \$117,220 |

